



OVR T1 4L 25-255 TS

OVR T1 4L 25-255 TS Surge Protective Device

General Information

Extended Product Type	OVR T1 4L 25-255 TS
Product ID	2CTB815101R0800
EAN	3660308510969
Catalog Description	OVR T1 4L 25-255 TS Surge Protective Device
Long Description	510108

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85363090

Popular Downloads

Data Sheet, Technical Information	2CTC431007D1701
Instructions and Manuals	2CTC431004M1701
Mechanical Drawings	2CTC800010F0700.pdf 2CTC800010F0701.dxf 2CTC800010F0702.stp 2CTC800010F0703.igs

Dimensions

Product Net Width	160.2 mm
Product Net Depth / Length	64.8 mm
Product Net Height	90 mm
Product Net Weight	1.2 kg
Width in Number of Modular Spacings	9

Technical

Type of Low Voltage Distribution System	TN-S
Nominal AC Voltage of the System (U_0)	230 / 400 V
Number of Protected Poles	4
Arrester Class	I
Product Main Type	T1
Standards	IEC 61643-1 / EN 61643-11

Version	Fix
Discharge Current	Nominal 25 kA Maximum 60 kA Total 100 kA
Impulse Current	I (imp, 10 / 350 μ s) 25 kA I (total, 10 / 350 μ s) - kA
Maximum Continuous Operating Voltage (U _C)	(L-PE) 255 V (L-L) 440 V (L-N) 440 V (N-PE) 255 V
Voltage Protection Level (Up)	(L-N) - kV (N-PE) - kV (L-PE) 2.5 kV
Short Circuit Withstand Icc	50 kA
Follow Current Extinction Capacity If (I fi)	50 kA
Temporary Overvoltage Test Value (U _T)	337 V
Short-Circuit Protective Devices	Curve B Breakers $\leq$ 125 A Curve C Breakers $\leq$ 125 A gL Type Fuses $\leq$ 125 A gG Type Fuses $\leq$ 125 A
Auxiliary Circuit Load	Minimum 12Vdc - 10mA Maximum 250Vac - 1A
Product Name	Surge Protective Device
Suitable For	To protect the systems against the transient overvoltage (lightning)

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CTC436004G1701
EAC Certificate	2CTC436007G1701
Instructions and Manuals	2CTC431004M1701

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	117 mm
Package Level 1 Depth / Length	193 mm
Package Level 1 Height	82 mm
Package Level 1 Gross Weight	1190 g
Package Level 1 EAN	3660308510969

Classifications

E-number	5273504
Object Classification Code	141ACC
ETIM 4	EC000381 - Lightning current arrester for power supply systems
ETIM 5	EC000381 - Lightning current arrester for power supply systems
ETIM 6	EC000381 - Lightning current arrester for power supply systems
ETIM 7	EC000381 - Lightning current arrester for power supply systems

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Surge Protective Devices SPDs → Surge Protective Devices SPD Class I

